



19. PROVIDE TIMED OVERRIDE SWITCH TO CONTROL RELAY 1 OF LIGHTING CONTROL PANEL DURING OFF HOURS. REFER TO DETAIL ON SHEET E-202 FOR MORE INFORMATION.

20. CEILING FAN FURNISHED BY FIRST FINANCIAL BANK, INSTALLED BY ELECTRICAL CONTRACTOR. ELECTRICAL CONTRACTOR SHALL PROVIDE A SLIDER SWITCH EQUAL TO LUTRON GFS-5E CAPABLE OF FULLY VARIABLE SPEED CONTROL.

KLH KOHRS LONNEMANN HEL
ENGINEERS, PSC
MECHANICAL/ELECTRICAL ENGINEERS
WWW.KLHENGRS.COM

1538 ALEXANDRIA PIKE, STE. 11
FT. THOMAS, KENTUCKY 41075
800-354-8785
859-442-8050
859-442-8058 FAX

104 BROWN STREET
DAYTON, OHIO 45402
937-220-9700
937-220-9702 FAX

TWO MIRANOVA PLACE, SUITE 280
COLUMBUS, OH 43215
614-228-2180
614-228-2183 FAX

**FIRST FINANCIAL BANK - SHELBYVILLE, IN
ADDENDUM A**

**ELECTRICAL LIGHTING PLAN
CEILING FAN CLARIFICATION**

DWG.BY: SCR

DATE: 3/2/10

SHEET NO:

CHK.BY: SCR

SCALE: 1/4"=1'-0"

CAD NO: 9681EL101

PROJ.NO: 9681.00

EL101